SAFETY DATA SHEET



Section 1. Product and Company Identification

1.1 Product Identifier

Product name : CABINET GREY Product code : HA-0107-M Other means of : Not available.

identification

Product type : Powder.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product Use : Industrial applications.

Use of the substance /

mixture

: Coating. Paints. Painting-related materials.

Uses advised against : Not applicable.

1.3 Details of the supplier of the safety data sheet

Canadian Supplier : Prism Powder Coatings Ltd.

321 Edgeley Blvd.

Concord, Ontario, Canada

L4K 3Y2

U.S. Supplier : Prism Powder Coatings Ltd.

> 2890 Carquest Drive Brunswick, Ohio, U.S.A.

44212

1.4 Emergency telephone number

Emergency telephone : (330) 225-5626 (U.S.) number (905) 660-5361 (Canada)

Technical phone number : 1-800-774-7611

Section 2. Hazards Identification

2.1 Hazard Classification

OSHA/HCS Status : This material is considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200).

Classification of the SKIN SENSITIZATION - Category 1 SERIOUS EYE DAMAGE/ EYE

substance or mixture

IRRITATION - Category 2A COMBUSTIBLE DUST

2.2 Label elements

Hazard Pictograms



Product Code: HA-0107-M
Date of Issue: 5/14/2024

Page **2** of **1170**

Version: 1

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air. May cause an allergic skin

reaction. Causes serious eye irritation.

Precautionary Statements

Prevention : Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands thoroughly

after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face

protection.

Response : IF ON SKIN: wash with plenty of soap and water. IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF SKIN irritation or rash occurs: Get

medical advice/attention. IF eye irritation persists: Get medical

advice/attention. Take off contaminated clothing and wash it before reuse.

Storage : Not applicable.

Disposal : Dispose of contents/container in accordance with all local, regional, national

and international regulations.

Supplemental Label

Elements

: Keep container tightly closed. Keep away from heat, sparks, open flames and hot elements surfaces. No smoking. Prevent dust accumulation. Emits toxic

fumes when heated.

2.3 Other hazards

Hazards not otherwise

classified

: Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical

irritation of the eyes, skin, nose and throat.

Section 3. Composition / Information on Ingredients

3.1 Substance

Substance/mixture : Mixture

Product name : CABINET GREY

3.2 Ingredients

Ingredient Name	%	CAS Number
Poly(Bisphenol A-co- epichlorohydrin) glycidyl end- capped	20% to 30%	25036-25-3

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Product Code: HA-0107-M
Date of Issue: 5/14/2024

Page **3** of **1170**

Version: 1

<u>NOTE:</u> If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately and have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person.

4.1 Description of necessary first aid measures

Eye contact: Remove contact lenses, irrigate copiously with clean, fresh water, holding the

eyelids apart for at least 10 minutes and seek immediate medical advice.

Inhalation : Move into fresh air. Keep person warm and at rest. If not breathing, if

breathing is irregular or if respiratory arrest occurs, provide artificial

respiration or oxygen by trained personnel.

Skin contact: Remove contaminated clothing and shoes. Wash skin thoroughly with soap

and water or use recognized skin cleanser. Do NOT use solvents or thinners.

Ingestion: If swallowed, seek medical advice immediately and show this container or

label. Keep person warm and at rest. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

4.2.1 Potential acute health effects

Eye contact : Causes serious eye irritation.

Inhalation: Exposure to airborne concentrations above statutory or recommended

exposure limits may cause irritation of the nose, throat and lungs.

Skin contact: May cause an allergic skin reaction.

Ingestion: No known significant effects or critical hazards.

4.2.2 Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

Pain or Irritation

Watering Redness

Inhalation : Adverse symptoms may include the following:

Respiratory tract irritation

Coughing

Skin contact: Adverse symptoms may include the following:

Irritation Redness

Ingestion: No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if

large quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable

training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Wash contaminated clothing thoroughly with water before removing it, or

wear gloves.

See toxicological information (Section 11).

Version: 1

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing

: Use dry chemical powder.

media

Unsuitable extinguishing

media

: Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

: Fine dust clouds may form explosive mixtures with air.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide

5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods for containment and cleaning up

Small spill

Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Avoid dust generation. Do not dry sweep. Apply "Dust Bane" to the spill in order to minimize airborne particles. With dust pan/broom, sweep

Product Code: HA-0107-M
Date of Issue: 5/14/2024

Page **5** of **1170**

Version: 1

up the spill, disposing it in a plastic bag lined disposal container (ie: cardboard box). or Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Apply "Dust Bane" to the spill in order to minimize airborne particles. Carefully consolidate spilled powder using rubber floor squeegee or shovel so as to minimize airborne particles. Transfer the bulk of the spill to a plastic bag lined garbage disposal container (ie: cardboard box). Treat remaining residue as Minor Powder Spill or Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

7.1 Conditions for safe storage

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready to use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

7.2 Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Avoid breathing dust. Do not ingest. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and

Product Code: HA-0107-M
Date of Issue: 5/14/2024

Page **6** of **1170**

Version: 1

protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 8. Exposure controls / personal protection

8.1 Control parameters

Occupational exposure limits

Poly(Bisphenol A-co-epichlorohydrin) glycidyl end-capped(25036-25-3)

No Data Available No Data Available

Key to abbreviations

NIOSH = National Institute for Occupational Safety and Health R = Respirable

ACGIH = American Conference of Governmental Industrial Hygienists. STEL = Short term Exposure limit values

OSHA = Occupational Safety and Health Administration. TD = Total dust

F = Fume TLV = Threshold Limit Value
C = Ceiling Limit TWA = Time Weighted Average
REL = Recommended Exposure Limit PEL = Permissible Exposure Limit

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

8.2 Appropriate engineering controls

Appropriate engineering controls

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

8.3 Environmental exposure controls

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

8.4 Individual protection measures

Hygiene measures

 Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially Product Code: HA-0107-M
Date of Issue: 5/14/2024

Page **7** of **1170**

Version: 1

contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection: Chemical splash goggles.

Respiratory protection: At all times, wear NIOSH approved (ie: N95) dust mask Respirator selection must be based on known or anticipated exposure levels, the bazards of the

must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are

exposed to concentrations above the exposure limit, they must use

appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates

this is necessary.

Skin Protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard

should be worn at all times when handling chemical products if a risk

assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the

gloves cannot be accurately estimated.

Gloves : Butyl rubber

Body protection : Personal protective equipment for the body should be selected based on the

task being performed and the risks involved and should be approved by a

specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be

selected based on the task being performed and the risks involved and

should be approved by a specialist before handling this product.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Solid.

Color : Not available.

Odor : Not available.

Odor threshold : Not available.

pH : Not available.

Melting point : Not available.

Boiling point : Not available.

Flash point : Closed cup: Not applicable.

Material supports

combustion

: Yes.

Auto-ignition

: Not available.

temperature Decomposition

: Not available.

temperature

Flammability (solid, gas) : Not available.

Product Code: HA-0107-M
Page 8 of 1170

Date of Issue: 5/14/2024

Version: 1

Lower and upper explosive (flammable)

limits

Evaporation rate : 0 (butyl acetate = 1)

Vapor pressure : 0 kPa (0 mm Hg) [room temperature]

: Not available.

Vapor density : Not available.

Specific Gravity : 1.715199

Solubility: Insoluble in the following materials: cold water.

Partition coefficient: n-

octanol / water

: Not available.

Viscosity : Kinematic (40°C (104°F)): Not applicable.

Volatility : 0% (v/v), 0% (w/w)

% Solid. (w/w) : 100

Section 10. Stability and reactivity

10.1 Reactivity

No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

The product is stable.

10.3 Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur

10.4 Conditions to avoid

When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.

10.5 Incompatible materials

Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.

10.6 Hazardous decomposition products

Decomposition products may include the following materials: carbon monoxide, carbon dioxide

Section 11. Toxicological information

11.1 Information on the likely routes of exposure

11.1.1 Potential acute health effects

Eye contact : Causes serious eye irritation.

Product Code: HA-0107-M Page **9** of **1170** Date of Issue: 5/14/2024

Version:

Inhalation : Exposure to airborne concentrations above statutory or recommended

exposure limits may cause irritation of the nose, throat and lungs.

Skin contact May cause an allergic skin reaction.

Ingestion No known significant effects or critical hazards.

11.1.2 Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

Pain or Irritation

Watering Redness

Inhalation Adverse symptoms may include the following:

Respiratory tract irritation

Coughing

Skin contact Adverse symptoms may include the following:

> Irritation Redness

No specific data. Ingestion

11.2 Delayed and immediate effects and also chronic effects from short and long term exposure

Conclusion/Summary

There are no data available on the mixture itself. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

11.2.1 Short term exposure

Potential immediate

effects

There are no data available on the mixture itself.

Potential delayed

effects

There are no data available on the mixture itself.

11.2.2 Long term exposure

Potential immediate

There are no data available on the mixture itself.

effects

Potential delayed

There are no data available on the mixture itself.

effects

11.2.3 Potential chronic health effects

Repeated or prolonged inhalation of dust may lead to chronic respiratory General

irritation. Once sensitized, a severe allergic reaction may occur when

subsequently exposed to very low levels.

Carcinogenicity No known significant effects or critical hazards.

Mutagenicity No known significant effects or critical hazards.

Teratogenicity No known significant effects or critical hazards.

Developmental

effects

No known significant effects or critical hazards.

Product Code: HA-0107-M
Date of Issue: 5/14/2024

Page **10** of **1170**

Version: 1

Fertility effects: No known significant effects or critical hazards.

11.3 Information on toxicological effects

11.3.1 Acute Toxicity

Poly(Bisphenol A-co-epichlorohydrin) glycidyl end-capped(25036-25-3)

RAT LD50 ORAL >2000 mg/kg
No Data Available LC50 INHALATION No Data Available
RABBIT LD50 DERMAL >2000 mg/kg

Conclusion/Summary: There are no data available on the mixture itself.

11.3.2 Irritation/Corrosion

Conclusion/Summary

Skin : There are no data available on the mixture itself.

Eyes : There are no data available on the mixture itself.

Respiratory : There are no data available on the mixture itself.

11.3.3 Sensitization Conclusion/Summary

Skin : There are no data available on the mixture itself.

Respiratory : There are no data available on the mixture itself.

11.3.4 Mutagenicity

Conclusion/Summary: There are no data available on the mixture itself.

11.3.5 Carcinogenicity

Conclusion/Summary: There are no data available on the mixture itself.

11.3.6 Reproductive toxicity

Conclusion/Summary: There are no data available on the mixture itself.

11.3.7 Teratogenicity

Conclusion/Summary: There are no data available on the mixture itself.

11.3.8 Aspiration hazard

Conclusion/Summary: There are no data available on the mixture itself.

11.4 Specific target organ toxicity

11.4.1 Specific target organ toxicity (single exposure)

Not available.

11.4.2 Specific target organ toxicity (repeated exposure)

Not available.

11.4.3 Target organs

Contains material which may cause damage to the following organs: lungs, upper respiratory tract, eyes.

Section 12. Ecological information

12.1 Toxicity

The Environmental impact of this product has not been fully investigated.

Product Code: HA-0107-M
Date of Issue: 5/14/2024
Page **11** of **1170**

Version: 1

12.2 Persistence and degradability

No Information Available

12.3 Bioaccumulative potential

No Information Available

12.4 Mobility in soil

Soil / water partition coefficient (K_{oc})

: No Information Available

Section 13. Disposal considerations

13.1 Disposal

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 6: Accidental release measures, Section 7: Handling and storage, and Section 8: Exposure controls / personal protection, for additional handling information and protection of employees.

Section 14. Transport information

14.1 UN Number

Not applicable.

14.2 UN proper shipping name

Not applicable.

14.3 Transport hazard class(es)

Not applicable.

14.4 Packing group

Not applicable.

14.5 Environmental hazards

Not applicable.

Product Code: HA-0107-M
Date of Issue: 5/14/2024

Page **12** of **1170**

Version: 1

14.6 Transport in bulk

Not applicable.

14.7 Special precautions for user

Not applicable.

Section 15. Regulatory information

15.1 Canadian Federal Regulations

WHMIS Statement : This safety data sheet has been prepared in accordance with the Canadian

Hazardous Products Regulations (HPR) and contains all of the information

required by the HPR.

Canadian Environmental

Protection Act (CEPA)

: Not available.

Domestic Substances

List (DSL)

: All components are listed or exempted.

15.2 U.S. Federal & State Regulations

OSHA Statement : This safety data sheet has been prepared in accordance with the OSHA

Hazard Communication Standard (29 CFR 1910.1200) and the supplier

notification requirements of SARA Title III Section 313.

CERCLA : Not available.

Toxic Substances
Control Act (TSCA)

: All components are listed or exempted.

Chemicals listed below, if any, are required to be identified under SARA Section 313 (40 CFR 372.65) and/or California Proposition 65.

Section 16. Other Information

Hazardous Material Information System (HMIS)

Health: HMISHFlammability: HMISFReactivity: HMISRPhysical hazards: HMISP

HMIS Rating System: 0 = Minimal, 1 = Slight, 2 = Moderate, 3 = Serious, 4 = Severe, * = Chronic Effects

Caution: HMIS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS ratings are not required on MSDSs the preparer may choose to provide them. HMIS ratings are to be used with a fully implemented HMIS program. HMIS is a registered mark of the National Paint & Coatings Association.

Product Code: HA-0107-M
Date of Issue: 5/14/2024

Page **13** of **1170**

Version: 1

Prepared by Prism Powder Coatings Ltd.: May 14, 2024

Disclaimer: The information contained in this safety data sheet is based on present scientific and technical knowledge and is accurate to the best of our knowledge. It is the responsibility of the user to determine the suitability of the product for its intended use and to comply with all federal, state and local regulations applicable to the safe handling and use of the product. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.